

**MID-LATITUDE GEOMAGNETIC INDICES
ASY and SYM**

(PROVISIONAL)

No.10

1999

February 2000

**DATA ANALYSIS CENTER FOR GEOMAGNETISM
AND SPACE MAGNETISM
GRADUATE SCHOOL OF SCIENCE
KYOTO UNIVERSITY**

MID-LATITUDE GEOMAGNETIC INDICES ASY and SYM

(PROVISIONAL)

No.10

1999

February 2000

DATA ANALYSIS CENTER FOR GEOMAGNETISM
AND SPACE MAGNETISM
GRADUATE SCHOOL OF SCIENCE
KYOTO UNIVERSITY

Mid-latitude Geomagnetic Indices "ASY" and "SYM" for 1999 (Provisional)

1. Introduction

To describe the geomagnetic disturbance fields in mid-latitudes with high-time (i.e. 1 minute) resolution, a longitudinally asymmetric (ASY) and a symmetric (SYM) disturbance index are introduced and derived for both H and D components, that is, for the components in the horizontal (dipole pole) direction H (SYM-H, ASY-H) and in the orthogonal (East-West) direction D (SYM-D, ASY-D). The symmetric disturbance field in H, SYM-H, is essentially the same as Sugiura's hourly Dst index (Sugiura and Poros, 1971), although we use 1 minute values from different sets of stations and a slightly different coordinate system. Similarly, the ASY-H asymmetric disturbance component in H is close to the asymmetric indices proposed by Kawasaki and Akasofu (1971), Crooker and Siscoe (1971), or Clauer et al.(1983). The ASY-D used in this data book was introduced and discussed in Iyemori (1990, 1996). It has been shown that the variation of the asymmetric H component correlates well with the AE index (e.g. Crooker, 1972; Clauer and McPherron, 1980). The results of an examination of the correlation between the ASY-D and the AE indices or the IMF-Bz and a discussion of the meaning of these indices will be published in somewhere else. Although there exists rather a good correlation between both ASYs and the AE indices, it should be noted that there are some essential differences between them and we should be careful when we use the ASY indices as a monitor of disturbances in the polar region.

2. Method of derivation

Shown in Table 1 and Figure 1 are a listing of geomagnetic observatories used here and their distribution in the geomagnetic dipole coordinate system respectively. It should be noted that some of the stations used here (i.e. Fredericksburg, Boulder, Tucson, Memambetsu, Martin de Vivies and Chambon- la-Foret) are at higher latitudes than those used in the derivation of Sugiura's standard Dst index (i.e. Honolulu, Kakioka, Alibag, Hermanus and San Juan). Only six of the stations are used for the derivation of each month, some stations being replaced by others depending on the availability and the condition of the data of the month. The combination of stations used is shown on the frame of each plot. The data are processed in units of one month. Therefore some gap in the magnitude is seen between successive months. The derivation procedure essentially consists of the following four steps:

- (1) Subtraction of the geomagnetic main field and the Sq (solar quiet daily variation) field to calculate the disturbance field component.
- (2) Coordinate transformation to a dipole coordinate system.
- (3) Calculation of the longitudinally symmetric component (i.e. six station average) and the asymmetric component (i.e. disturbance field minus the symmetric component).
- (4) Derivation of the asymmetric indices (i.e. the range between the maximum and the minimum asymmetric fields).

A detailed description of the derivation and the characteristics of the indices will appear elsewhere. The following is a rough explanation of each step of the derivation.

TABLE 1.

STATION NAME	ABB CODE	G.G. LAT.	G.G. LONG.	G.M. LAT.	G.M. LONG.	INVARIANT LAT.	ROTATION ANGLE
San Juan	SJG	18.4	293.9	29.1	5.2	32.5	-8.9
Fredericksburg	FRD	38.2	282.6	49.1	352.2	50.4	0.4
Boulder	BOU	40.1	254.8	48.7	319.0	49.1	2.5
Tucson	TUC	32.3	249.2	40.4	314.6	39.7	2.7
Honolulu	HON	21.3	202.0	21.5	268.6	20.2	0.5
Memambetsu	MMB	43.9	144.2	34.6	210.2	34.9	-16.1
Alibag	ABG	18.6	72.9	9.9	145.8	—	6.8
Martin de Vivies	AMS	-37.8	77.6	-46.9	142.8	48.6	-32.4
Hermanus	HER	-34.4	19.2	-33.7	82.7	43.6	-10.1
Chambon-la-Foret	CLF	48.0	2.3	50.1	85.7	45.7	13.6

DISTRIBUTION OF GEOMAGNETIC OBSERVATORIES




Figure 1. Data are obtained at the observatories shown by the solid circles. The stations replaced with each other are connected by solid lines.

Note: In this issues, the data observed at HON, BOU and FRD stations were taken from RGON database which contains the provisional data without base-line control.

(1) Subtraction of the main field and the Sq field

The geomagnetic field consists of the main field, the solar quiet daily variation and the disturbance field. To get the disturbance field, the geomagnetic main field and the Sq field have to be subtracted. To calculate the base value including the Sq field, the data of international five quiet days are used. That is, the original data of the international 5-Q days of the month that include the Sq field as well as the geomagnetic main field are averaged every minute and fitted by B-spline functions. For some special cases where some of the 5-Q days are not suitable for the purpose because of missing data etc., another quiet day is selected from international 10 quiet days of the month. The period used for the quiet days is marked by the symbol 'Q' in the hourly value tables. The fitted values are then subtracted from original data to get the disturbance component.

(2) Coordinate transformation

In a geomagnetic storm period, the ring current is the main source of the disturbance field in the H component observed at mid-latitudes. As the ring current flows in the magnetosphere at a distance of several Re (radius of the Earth) and in the equatorial plane, its geomagnetic effect should be nearly parallel to the dipole axis. On the other hand, the H direction at each observatory is generally different from the dipole pole direction because of the non-dipole component or local geomagnetic anomalies. Therefore the ring current effect is mixed into the D component. To minimize the ring current effect in the D-component, the data are transformed to the dipole coordinate system at each station. The differences between the dipole pole position and local geomagnetic direction are shown in Table 1.

(3) Calculation of the symmetric components SYM-H and SYM-D

The longitudinally symmetric component is calculated by averaging the disturbance component at each minute for the 6 stations. For the H component, a latitudinal correction is made on the averaged value to get the value (SYM-H) which corresponds to Sugiura's equatorial Dst index, that is, it is divided by the 6-station average of $\cos\theta_m$, where θ_m is the dipole latitude of each station, though the stations used, the coordinate system and the method to subtract the base value with Sq current effect are different from his method of derivation. On the symmetric component of D (SYM-D), we make no latitudinal correction at all.

(4) Calculation of the asymmetric disturbance indices, ASY-H and ASY-D

The asymmetric component at each station is obtained by subtracting the symmetric component from each disturbance field. For the H component, the symmetric part is subtracted after making a latitudinal correction assuming that the SYM-H represents the magnitude of the uniform field parallel to the dipole axis generated by the ring current. After subtracting the symmetric part, a latitudinal correction is made by multiplying the normalization coefficient for each station which is determined empirically as the standard deviations of the asymmetric variation for the 6 stations become equal.

The ASY-H and the ASY-D indices are defined as the range between the maximum and the minimum deviation at each moment for the H and the D component, respectively.

3. Explanation of the plots and hourly tables

Each frame of the plots in this data book covers a period of two days. The upper panel shows, from top to bottom, ASY-D, ASY-H (positive downward), SYM-D (thin line) and SYM-H (thick line). The lower panel shows the magnetic local time where the maximum (+) and minimum (-) asymmetric deviations are observed. For periods when one or more stations have no data, a dark bar with height proportional to the number of stations with missing data, is drawn at the bottom of the panel. A storm sudden commencement (SSC) and the start time of a solar flare effect (SFE) are indicated by solid and open triangles, respectively. The SSCs and SFEs are taken from the Solar Geophysical Data published by NOAA/NGDC. Cases where the highest quality of the SSC reported is 'C' or only one station reports an SFE are not indicated here. Therefore there may be many SSCs and SFEs not indicated by the symbols on these plots.

The hourly averaged value of the ASY-D and ASY-H indices are tabulated every month. The hourly SYM-H index is not tabulated to avoid confusion with the hourly Dst index. Instead of the tables of the SYM-H index, a comparison (i.e. the correlation plots) between the hourly SYM-H and the provisional Dst index is shown in Figures 3 (a)-(b). The hourly SYM-D index is also not tabulated because the stations are insufficiently well distributed to properly treat the symmetric disturbance of the D component. The quiet days used for the calculation of the base line are marked by a symbol 'Q'. Most of the days correspond to the international 5-quiet days.

4. Comparison with the AE indices and the Dst index

Figures 2-a and 2-b are examples of a comparison between the ASY and SYM indices and the auroral electrojet indices, AE. Figure 2-a shows a rather disturbed period and Figure 2-b shows a moderately disturbed period. From these plots, the qualitative similarities and the differences between the ASY and AE indices can be seen. The main qualitative differences are seen in the spectral characteristics and in the sensitivity to minor substorm activity. The ASY indices are more smoothly varying and it is rather difficult for them to reflect minor substorm activity in the polar region. A quantitative comparison will appear elsewhere. Users should be aware that the ASY indices should not be used as substitutes for the AE indices, although there are some similarities between them.

A comparison of the hourly SYM-H index with the provisional Dst index is shown in Figures 3 (a)-(b). We see some offset between the two indices which come from the difference in the method to determine the base values. The base value at each station is more carefully determined for the hourly Dst index taking into account the geomagnetic secular variation than for this provisional SYM-H index. The main difference between the 1 minute SYM-H and the hourly Dst index is the time resolution, and the effects of the solar wind dynamic pressure variation are more clearly seen in the SYM-H than in the hourly Dst index.

5. Future improvements

The indices plotted in this data book are provisional in the sense that the combination of the stations could be changed in future to get more stable results with minimum universal time and

seasonal dependence. It is necessary to continue the provisional derivation of the indices for some more years until the optimal method and the best combination of stations are established. The availability of the digital data could be changed and it will also be necessary to try to get the digital geomagnetic data from more suitable locations. Modification of the procedure for real-time derivation may also be necessary in future.

6. Post-Script files of the plots and WWW homepage service

The Post-Script files of the plots shown in the latest issue are available from anonymous FTP directory at our data center. The IP address and the directory are as follows:

IP address: 130.54.59.253 (swdcdb)

Directory: anonymous

Change directory is necessary after logging in as follows:

ftp> cd data

ftp> cd asyplot

Each file is compressed and has a name YYMMMD1-D2.ps.Z (for example, 990503-06.ps.Z).

Files should be transferred in binary mode and uncompressed.

Plots with the AE indices for the period when the AE indices have been derived are also available from our home page:

<http://swdcdb.kugi.kyoto-u.ac.jp/>

Acknowledgments

The data used in this data book were kindly provided by the U.S. Geological Survey (HON, BOU, FRD, SJD, and TUC) through the World Data Center A for STP, the Hermanus Magnetic Observatory (HER), the Chambon-la-Foret Magnetic Observatory (CLF), Institut de Physique du Globe de Strasbourg (AMS), the Kakioka Magnetic Observatory (MMB), and the Indian Institute of Geomagnetism (ABG).

The compilation of the geomagnetic data and publication of this data book have been supported in part by grant 11694072 and 403002 under the Japan Society for Promotion of science (JSPS) and by a part of "Ground Research for Space Utilization" promoted by NASDA and Japan Space Forum.

T. Iyemori, T. Araki, T. Kamei and M. Takeda
Data Analysis Center for Geomagnetism and
Space Magnetism, Graduate School of Science,
Kyoto University, Kyoto 606-8502, Japan.

TEL: 81-75-753-3929

FAX: 81-75-722-7884

E-MAIL: iyemori@kugi.kyoto-u.ac.jp

WWW: <http://swdcdb.kugi.kyoto-u.ac.jp/>

(February 2000)





Figure 2a. An example of a comparison between the AE indices and the ASY and SYM indices of rather disturbed period. An SSC is indicated by a solid triangle. The magnetic local time at the station which gives the maximum or the minimum asymmetric deviation from symmetric disturbance is shown by a symbol + (thick line) or a symbol - (thin line), respectively.




Figure 2b. An example of a comparison between the AE indices and the ASY and SYM indices of moderately disturbed period. The missing data periods are shown by the dark bars at the bottom of the panel. The height of the bars is proportional to the number of stations (1 station in this case) with missing data period (MDP).




Figure 3a. Correlation plots between the hourly averaged SYM-H and the provisional Dst for January-June, 1999. The correlation coefficients R, the parameters of the regression line A and B (i.e. $\text{SYM-H} = A \cdot \text{Dst} + B$) are shown on each panel.




Figure 3b. Correlation plots for July-December, 1999.





Note: In this issues, the data observed at HON, BOU and FRD stations were taken from RGON database which contains the provisional data without base-line control.





References





- Clauer, C.R. and R.L. McPherron, The relative importance of the interplanetary electric field and magnetospheric substorms on the partial ring current development, *J. Geophys. Res.*, 85, 6747-6759, 1980.
- Clauer, C.R., McPherron, R.L. and C. Searls, Solar wind control of the low- latitude asymmetric magnetic disturbance field, *J. Geophys. Res.*, 88, 2123-2130, 1983.
- Crooker, N.C. and G.L. Siscoe, A study of the geomagnetic disturbance field asymmetry, *Radio Sci.*, 6, 495-501, 1971.
- Crooker, N.C., High-time resolution of the low-latitude asymmetric disturbance in the geomagnetic field, 77, 773-775, 1972.
- Iyemori, T., Storm-time magnetospheric currents inferred from mid-latitude geomagnetic field variations, *J. Geomag. Geoelectr.*, 42, 1249-1265, 1990.
- Iyemori, T. and D.R.K. Rao, Decay of the Dst field of geomagnetic disturbance after substorm onset and its implication to storm-substorm relation, *Ann. Geophys.*, 14, 608-618, 1996.
- Kawasaki, K. and S.-I. Akasofu, Low-latitude DS component of geomagnetic storm field, *J. Geophys. Res.*, 76, 2396-2405, 1971.
- Sugiura, M. and D.J. Poros, Hourly values of equatorial Dst for years 1957 to 1970, Rep. X-645-71-278, Goddard Space Flight Center, Greenbelt, Maryland, 1971.





ASY and SYM Indices





**Plots and Tables
for
January - December, 1999**






























































































































































































































































































































































































































































































































































ASY-D INDEX												APR 1999						(PROVISIONAL)								nT
DAY	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MEAN
01	19	21	38	44	34	36	37	24	17	16	17	20	25	25	20	18	25	23	19	19	14	14	21	26	24	
02	20	22	27	33	38	54	33	20	13	20	22	20	18	19	16	16	18	22	19	10	7	8	8	12	21	
03	13	18	17	21	27	38	34	26	24	32	24	18	13	19	21	19	20	27	29	24	15	15	16	10	22	
04	12	17	20	18	22	28	23	22	19	16	15	10	17	26	25	11	23	24	21	28	32	32	20	14	21	
05	13	18	20	13	19	30	28	29	19	14	8	23	22	20	18	17	18	21	16	14	12	14	9	15	18	
06	12	19	27	32	29	36	37	23	11	9	7	11	17	15	13	12	17	15	15	17	21	18	15	25	19	
07	35	38	36	20	27	45	42	29	25	30	24	18	18	21	26	22	24	26	24	11	9	11	22	26	25	
08	32	28	21	18	25	39	38	36	27	14	10	17	11	11	15	20	21	27	26	14	20	25	22	21	22	
09	22	16	13	23	33	49	49	32	23	15	13	14	11	15	14	16	18	16	9	8	8	6	10	18		
10	19	16	14	12	19	41	43	31	27	19	11	12	8	10	16	10	24	25	16	8	15	17	23	20	19	
11	9	18	32	29	26	25	22	17	15	24	20	15	16	21	17	13	12	12	13	17	18	19	18			
12	21	21	13	15	23	35	34	19	11	9	8	21	13	9	11	13	19	10	15	13	15	12	7	6	16	
13 Q	5	12	16	20	17	17	18	14	12	9	8	5	10	12	13	15	13	10	10	20	16	9	11	11	13	
14	15	13	9	15	26	37	36	30	20	12	16	17	15	9	12	20	17	10	7	13	14	11	12	10	16	
15 Q	8	9	8	15	22	24	20	18	14	9	9	12	12	13	14	19	23	23	24	21	13	9	11	19	15	
16	15	15	9	11	19	18	17	13	9	7	8	14	15	20	34	41	36	35	35	35	26	17	28	40	21	
17	39	59	31	42	85	67	92	69	65	58	60	31	22	19	16	14	13	15	21	25	27	28	25	24	39	
18	19	31	33	26	22	21	18	14	13	12	11	16	10	9	10	14	20	22	19	12	8	10	11	16		
19	14	12	12	15	18	20	26	21	17	27	37	36	25	14	14	21	15	8	7	9	13	9	14	15	18	
20	8	12	18	8	11	21	22	16	10	16	17	18	25	50	47	45	25	54	31	40	42	28	23	16	25	
21	19	21	14	13	13	18	29	21	24	21	16	14	14	14	16	23	16	27	17	22	15	12	19	23	18	
22 Q	20	14	12	16	12	13	6	6	9	11	8	8	8	6	5	10	14	17	18	15	17	15	17	19	12	
23 Q	21	21	16	12	7	11	19	19	11	8	10	7	9	8	9	6	4	6	15	18	15	11	5	4	11	
24	8	12	22	23	16	17	17	12	13	9	15	16	22	26	27	25	25	20	12	12	22	24	26	24	19	
25 Q	15	12	15	13	12	11	8	8	4	5	6	11	13	8	6	11	10	9	4	5	8	8	12	12	9	
26	14	16	18	16	12	12	13	19	16	14	14	14	14	12	14	11	13	23	26	33	40	39	37	32	20	
27	22	23	19	15	16	11	11	13	15	15	20	18	12	9	8	13	24	26	18	29	25	26	31	50	20	
28	48	55	55	39	31	24	18	27	27	29	24	21	19	14	25	34	34	22	27	41	36	22	25	41	31	
29	40	28	19	18	20	26	17	12	15	18	29	35	23	19	27	37	49	32	32	31	37	22	17	32	26	
30	35	22	26	25	37	24	17	26	21	22	30	26	15	16	14	24	38	32	21	25	16	20	21	21	24	
MEAN	20	21	21	21	21	24	28	28	22	18	17	17	16	16	18	19	21	21	19	20	19	17	18	20	20	

ASY-H INDEX												APR 1999						(PROVISIONAL)								nT
DAY	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MEAN
01	43	40	52	60	58	38	30	23	17	21	23	15	17	16	14	19	16	13	13	17	23	25	19	16	26	
02	24	32	28	22	22	29	19	18	16	17	15	13	15	16	25	36	40	23	17	19	7	4	7	10	20	
03	15	23	23	21	20	22	21	16	23	24	21	16	17	24	29	26	19	9	12	28	18	21	15	17	20	
04	28	34	27	22	21	28	28	19	17	20	17	14	17	28	36	38	30	22	16	25	23	17	20	22	24	
05	22	24	18	21	24	22	29	38	19	13	12	33	49	41	30	28	29	17	17	14	18	12	8	10	23	
06	14	17	30	56	42	32	22	15	15	20	25	23	18	20	21	22	21	19	10	10	11	18	23	27	22	
07	30	44	46	32	30	31	29	24	25	29	28	28	28	22	34	38	37	35	37	24	16	19	15	10	29	
08	16	19	24	22	15	14	17	17	16	14	10	10	12	14	17	20	37	43	27	25	17	10	8	9	18	
09	17	23	25	27	16	15	15	13	15	14	16	8	9	13	11	10	14	15	18	19	15	12	11	10	15	
10	13	18	16	20	23	23	19	18	23	21	17	19	19	16	23	30	17	37	24	27	20	17	29	32	22	
11	23	26	34	45	30	20	21	41	29	22	32	40	29	20	27	27	32	20	16	10	5	9	8	25		
12	14	28	16	19	18	17	15	9	11	13	20	18	16	13	18	25	21	16	13	12	8	7	9	9	15	
13 Q	17	23	23	20	16	12	11	11	9	8	8	8	7	10	7	8	7	7	12	18	14	11	9	7	9	12
14	17	20	18	17	18	20	21	23	22	13	16	15	16	14	13	19	18	15	9	6	14	19	19	17	17	
15 Q	16	13	12	11	10	10	13	13	9	9	7	9	9	10	11	13	15	13	17	16	10	10	7	12	12	
16	9	7	5	7	12	12	15	23	30	28	26	15	10	16	18	37	44	45	38	25	22	25	36	45	23	
17	62	70	99	126	132	88	83	54	62	48	68	40	34	42	47	53	46	43	55	57	51	44	31	25	61	
18	22	24	22	19	19	17	22	21	16	15	14	13	21	31	38	39	38	29	22	19	22	23	20	17	23	
19	19	17	19	27	29	31	33	27	26	39	46	40	43	44	41	40	45	38	27	30	26	38	39	40	33	
20	23	17	22	16	8	22	42	29	24	31	17	25	50	79	75	64	51	62	28	35	24	11	11	12	32	
21	18	17	14	13	11	13	27	29	23	21	19	24	30	42	55	56	38	52	39	42	21	14	18	19	27	
22 Q	21	22	19	17	15	14	12	10	9	9	9	10	11	9	13	25	14	12	12	10	9	6	7	13		
23																										

ASY-D INDEX													MAY 1999							(PROVISIONAL)						nT
DAY	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MEAN
01	23	17	14	22	42	29	22	27	23	21	23	24	13	13	20	29	33	33	25	14	20	28	40	36	25	
02	26	17	19	29	34	27	28	23	19	17	19	19	16	11	13	10	13	19	19	21	12	13	17	17	19	
03	10	13	21	32	35	37	27	20	17	14	13	13	11	13	14	16	12	11	7	10	17	26	24	12	18	
04	8	12	16	22	17	18	19	18	15	15	15	19	8	11	12	14	17	9	6	7	23	34	30	25	16	
05	15	5	13	23	26	21	19	20	17	17	18	16	17	9	11	11	9	11	21	16	14	16	16	12	16	
06	18	26	29	31	17	7	9	18	21	14	16	15	11	14	21	18	14	12	12	10	25	40	32	23	19	
07	16	11	6	9	20	23	21	22	16	13	12	13	12	16	17	22	19	26	27	22	19	24	21	10	17	
08	7	10	9	8	7	13	14	17	12	13	11	10	10	10	13	16	21	19	14	16	25	30	29	23	15	
09	16	19	30	37	27	19	18	15	12	11	11	14	9	12	15	14	17	11	12	11	12	11	10	16	16	
10	13	9	13	29	38	32	25	26	26	22	12	13	20	16	12	9	12	17	20	16	13	20	25	33	20	
11 Q	33	26	12	9	14	16	13	14	18	15	16	14	10	11	16	16	18	20	19	17	23	26	18	9	17	
12	7	9	14	16	22	19	22	24	18	13	15	15	8	10	11	13	11	10	10	9	15	25	25	24	15	
13	15	18	24	34	38	54	53	37	37	34	35	29	22	28	51	54	37	37	49	41	27	17	13	13	33	
14	16	24	40	49	41	24	28	28	20	16	19	12	12	12	15	15	14	9	8	10	9	10	16	18	19	
15	15	11	8	14	20	14	13	17	19	15	17	18	15	13	15	19	22	26	33	38	24	12	7	6	17	
16 Q	8	10	14	16	17	16	17	19	18	17	16	20	16	8	9	16	21	18	13	9	9	6	4	5	13	
17 Q	8	12	23	24	18	14	12	13	15	14	12	14	11	9	10	10	12	9	10	10	14	7	15	12	13	
18	13	15	26	32	26	31	30	27	21	26	28	21	19	28	18	15	15	20	14	15	23	24	28	27	23	
19	18	20	20	16	7	15	15	15	12	9	9	15	14	7	12	9	12	29	34	30	19	17	26	29	17	
20	25	19	17	12	8	13	15	10	12	14	17	18	9	14	20	13	17	19	24	19	12	15	11	17	15	
21	15	16	14	21	21	13	12	11	9	10	9	8	9	8	9	5	11	21	18	12	16	20	27	28	14	
22 Q	23	18	25	30	23	18	16	9	7	10	11	11	9	11	12	10	9	8	10	10	9	7	11	13	14	
23	6	8	19	18	13	12	7	10	11	11	11	15	20	14	13	14	12	11	20	24	18	6	14	29	14	
24	27	31	30	17	5	11	22	26	33	35	31	18	30	28	27	17	12	10	19	24	16	15	15	20	22	
25	17	32	36	22	23	25	17	29	30	35	26	21	21	22	18	18	14	25	42	52	48	28	14	28	27	
26	41	47	47	37	34	24	18	16	12	14	21	20	16	14	19	25	29	24	27	25	24	16	10	4	24	
27	9	16	19	20	16	18	15	16	12	15	17	21	21	17	12	11	13	15	13	16	26	23	14	22	16	
28	30	33	30	28	22	10	12	19	24	27	21	19	12	8	10	11	15	18	20	15	10	12	28	31	19	
29	31	25	22	17	18	26	37	33	24	15	13	14	13	11	10	14	17	27	30	22	14	12	21	23	20	
30	24	32	37	39	40	43	41	42	39	35	27	19	11	10	11	16	20	19	11	13	13	11	10	7	24	
31 Q	6	7	9	12	12	11	10	16	19	19	20	15	8	11	11	9	8	13	16	15	17	23	39	30	15	
MEAN	17	18	21	23	23	21	20	21	19	19	18	16	14	14	15	16	16	18	19	18	19	20	19	18	18	

ASY-H INDEX													MAY 1999							(PROVISIONAL)						nT
DAY	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	MEAN
01	40	32	27	37	70	41	45	40	32	42	46	50	31	22	28	26	20	18	24	32	44	39	44	56	37	
02	55	50	41	43	34	38	47	45	35	49	30	24	18	19	23	15	15	21	31	35	19	19	25	29	32	
03	33	41	32	41	31	31	35	28	24	27	35	28	30	33	26	19	17	20	26	39	47	45	49	45	33	
04	34	30	30	30	25	28	33	27	22	26	23	24	25	24	20	16	12	16	20	20	29	35	33	25		
05	26	26	21	17	16	16	16	16	19	18	17	21	25	26	22	21	22	22	18	18	24	37	32	22		
06	16	11	17	19	23	23	20	29	36	25	26	31	34	27	23	21	17	21	30	36	37	40	46	40	27	
07	37	41	39	29	32	38	25	27	26	26	20	16	16	17	15	14	13	21	22	23	28	32	41	34	26	
08	26	27	26	25	29	32	30	24	22	18	15	13	13	15	28	41	44	41	39	34	34	24	17	12	26	
09	15	19	17	16	15	15	18	17	16	17	15	11	12	16	13	10	14	17	18	17	10	10	10	16		
10	7	8	10	15	15	12	15	19	18	17	19	16	17	17	14	12	13	24	31	21	12	14	8	16		
11 Q	6	15	18	15	14	14	15	15	10	9	9	11	12	15	16	13	12	14	14	14	14	10	8	11	13	
12	14	15	14	12	20	24	21	22	15	13	14	16	17	15	14	13	20	19	23	27	25	30	33	22		
13	11	21	30	37	63	90	82	47	29	24	17	15	27	54	98	101	60	48	47	32	24	31	41	36		
14	36	37	34	33	26	20	26	62	37	17	20	18	13	10	9	7	10	10	9	12	14	18	12	13		
15	15	15	20	16	15	13	15	12	15	19	27	29	21	18	21	26	21	16	20	34	38	32	21	15		
16 Q	8	9	13	16	16	12	8	12	12	10	8	7	9	13	20	22	12	8	4	10	11	10	7	5		
17 Q	9	12	12	9	12	10	11	12	13	11	9	12	9	5	9	13	15	16	14	12	10	11	13	10		
18	8	21	39	39	29	25	42	51	30	39	39	37	41	42	37	35	28	31	30	26	28	26	21	32		
19	19	25	28	28	30	28	31	38	31	23	17	17	17	18	17	14	15	12	14	29	35	53	50	25		
20	37	32	29	21	14	16	16	20	18	17	11	10	12	12	13	11	17	12	18	26	20	15	10	12		
21	21	17	14	13	21	24	19	17	12	14	17	12	12	14	11	10	8	7	10	21	24	22	21	16		
22 Q	8	5	8	9	9	9																				

